

BUILT KYNCO TOUGH













KYMCO - SINCE 1964

- Founded in 1964 as a key manufacturing plant and primary parts supplier for Honda
- Produced the first KYMCO-branded models for global export in 1992.
- Manufactures more than 200 models including scooters, motorcycles, ATV and UTVs, electric scooters, mobility scooters and e-bikes
- One of the world's largest scooter manufacturers
- Sells more than 664,000 vehicles per year across 111 countries
- More than 3600 dealers in Taiwan alone
- Three manufacturing plants, an R&D facility, logistics centre and a 185,000sqm test track in Taiwan
- Assembly plants in Argentina, Brazil, Columbia, Egypt, Malaysia, China & Taiwan
- More than 3000 employees worldwide
- Produces several models for other world-renowned powersport brands including Arctic Cat, BMW and Kawasaki

KYMCO - SINCE 1964

- Introduced to Australia in 1999
- More than 35,000 vehicles sold
- 16 scooter models
- 6 ATV models
- 2 Side-by-Side models
- 3-year factory warranty
- 67 dealers nationwide









3-YEAR WARRANTY*

KYMCO ATVs and side by side UTVs are supported by a two-year factory warranty from the date of purchase plus an additional 12-month factory warranty if your vehicle is exclusively serviced at an authorised KYMCO dealer and retain an accurate service history.

*Excludes KYMCO's Youth ATV range. Maxxer 50 and Mongoose 90 are supported by a two-year factory warranty.

Each KYMCO comes with an owner's manual and warranty booklet as supplied by your KYMCO dealer.

ATV RANGE



Made Tough in Taiwan. Take your pick out from our work ready ATVs to get the most out of your work day.

YOUTH RANGE



Kick start your future stars' riding skills with the KYMCO Youth Range and build their confidence to tackle any adventure they can find.

UTV RANGE



Rugged, feature-packed and ready to get the job done.
No better choice than the KYMCO UTV range.







BUILT KYMCO TOUGH

Loaded with features that you'd only expect on more expensive machines, the new KYMCO MXU 300R has everything you need to get the job done. New and enhanced body styling and design. Dual a-arm independent front suspension and unit-swing rear provide enhanced ground clearance and make for a comfortable ride while the liquid-cooled 19hp four-stroke engine provides all the power you need. Front and rear hydraulic disc brakes make stopping reliable while carry racks make this unit practical on the farm. With value for money features, the KYMCO MXU 300R will make light work of even the busiest day.

- 270cc LIQUID COOLED 4-STROKE ENGINE
- CARBURETTOR
- CVT TRANSMISSION
- 2WD
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT FRONT, SOLID REAR AXEL
- TOW: 227KG
- CARRY: 20KG FRONT, 30KG REAR





SIMPLICITY AT ITS BEST

With the simplicity of a carburettor and the reliability of an air and oil cooled engine, the KYMCO MXU 400 is the number one choice for Aussie farmers. Practical power delivered through a CVT automatic transmission with selectable high / low range for flexible work speeds. Independent suspension all round and push button selectable 2WD / 4WD will keep you moving no matter the terrain. Bullet proof reliability - Simplicity at its best.

- 367cc AIR & OIL COOLED 4-STROKE ENGINE
- CARBURETTOR
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- TOW: 368KG
- CARRY: 34KG FRONT, 68KG REAR

MIDDLEWEIGHT POWERHOUSE

If it's versatility you want, look no further! Not only has KYMCO introduced an all-new middleweight ATV with a modern and high-end look, but with 33hp and 39Nm from the liquid-cooled and fuel-injected powerplant towing is a breeze and even the toughest terrain hardly raises an eyebrow. Standard fitments include a front bumper and indicators. Modern flair but still with the simplicity that farmers and agriculturalists love: the MXU 550i EPS has all bases covered.

- 501cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- ELECTRONIC POWER STEERING (EPS)
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 12 INCH STEEL WHEELS, 25 INCH KENDA AT TYRES
- TOW: 454KG
- CARRY: 52KG FRONT, 95KG REAR









ADVANCING THE CAUSE

In terms of muscle, the MXU 700i EPS has always been KYMCO's ATV flagship – and with 44hp (33kW) and 55Nm the new model well and truly holds onto that halo. Then it ramps up again, with not only a linked braking system but also an anti-theft steering lock, more ground clearance, increased towing capacity, extra fuel capacity (and a relocated fuel cell for better weight distribution) and more suspension travel. There's also a USB charging port. Power, refinement and brawn all together in one!

- 695cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- ELECTRONIC POWER STEERING (EPS)
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 14 INCH ALLOY WHEELS, 26 INCH MAXXIS AT TYRES
- TOW: 454KG
- CARRY: 52KG FRONT, 95KG REAR

KYMCO THRILLS

Easy to ride and packed with great safety features, KYMCO youth ATV's are the perfect way for your kids to get their thrills.

Maxxer 50 offers a 49cc two-stroke engine while Mongoose 90 offers an 89.9cc four-stroke engine. Both deliver smooth power while the CVT automatic transmissions make riding simple for even the newest rider.

Maxxer 50 and Mongoose 90 both have great safety features like keyed electric start, a throttle stop and ignition cut-off lanyard to help you keep the fun in check.

The KYMCO youth ATV range is covered by a 2-year factory warranty so you can be sure the fun will last years ahead. Simple and safe, KYMCO youth ATV's will help your future star tackle any adventure they can find.

MAXXER 50

- 49CC, AIR-COOLED TWO-STROKE
- CVT AUTOMATIC TRANSMISSION
- KEYED ELECTRIC START
- ADJUSTABLE THROTTLE STOP

MONGOOSE 90

- 89.9CC, AIR-COOLED FOUR-STROKE
- CVT AUTOMATIC TRANSMISSION WITH REVERSE
- CVT COLLAR SPEED RESTRICTOR
- IGNITION CUT-OFF LANYARD





THROUGH THE TIGHT STUFF

With a compact chassis, narrow track, independent suspension and turf mode, the UXV 450i is the ultimate machine to take on tight terrain. Powered by a respectable 33hp the fuel injected engine that delivers plenty of KYMCO power matched with a smooth CVT automatic transmission with high/low range and active engine braking. When the going gets tough, simple push button selectable 2WD/4WD and front diff-lock will get you through technical terrain. KYMCO UXV 450i is your versatile UTV on the farm.

- 443cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 12 INCH STEEL WHEELS, 25 INCH TYRES
- TOW: 550KG
- CARRY: 190 KG

GET THE JOB DONE WITH KYMCO

When it comes to hard work, UXV 700i EPS gets the job done. Powered by KYMCO's smooth 45hp engine, which features a new and improved automatic CVT-Drive system, including all-important active engine braking. Off road the UXV really feels at home, with plenty of ground clearance, a simple 'push button' two-wheel-drive / four-wheel-drive activation and independent dual A-Arm suspension front and rear.

Bred to work, the UXV has a generously sized tipping cargo bed and a hefty 550kg tow capacity to get more done in your workday. KYMCO is made tough in Taiwan and supported by a 3 year warranty to guarantee A-Grade durability.

- 695cc LIQUID COOLED 4-STROKE ENGINE
- ELECTRONIC FUEL INJECTION (EFI)
- CVT TRANSMISSION
- ENGINE BRAKING
- 2WD / 4WD & DIFF LOCK
- ELECTRONIC POWER STEERING (EPS)
- SHAFT DRIVE
- HYDRAULIC DISC BRAKES
- INDEPENDENT SUSPENSION
- 12 INCH STEEL WHEELS, 25 INCH TYRES
- TOW: 550KG
- CARRY: 200 KG



-	ATV				YOUTH RANGE		UTV	
SPECS	N SOOR	M2400	MANA SECTION S	TOO!	MAXXERso	MONGOOSEso	LD 450i	LONGO
ENGINE & TRANSMISSION								
ENGINE TYPE	SINGLE-CYLINDER, FOUR-STROKE, LIQUID COOLED, FOUR-VALVE, SOHC	SINGLE-CYLINDER, FOUR-STROKE, OIL & AIR COOLED, FOUR-VALVE, SOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID COOLED, FOUR-VALVE, SOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID- COOLED, FOUR-VALVE, DOHC	SINGLE-CYLINDER, TWO-STROKE, AIR COOLED	SINGLE-CYLINDER, FOUR-STROKE, AIR COOLED	SINGLE-CYLINDER, FOUR-STROKE, LIQUID- COOLED, FOUR-VALVE, DOHC	SINGLE-CYLINDER, FOUR-STROKE, LIQUID- COOLED, FOUR-VALVE, DOHC
DISCPLACEMENT	270CC	367CC	501CC	695CC	49CC	89.9CC	443CC	695CC
MAX. POWER OUTPUT	19.6HP (14.6KW) AT 7000 RPM	20 HP (15KW) AT 6500 RPM	33.5 HP (25KW) AT 6500 RPM	44 HP (33KW) AT 6500 RPM	3.9HP (2.9KW) AT 6000 RPM	6.3HP (4.7KW) AT 7000 RPM	33 HP (25KW) AT 7500 RPM	45 HP (33.6KW) AT 6500 RPM
MAX. TORQUE	22 NM AT 6000 RPM	-	38.8 NM AT 5500 RPM	55 NM AT 5500 RPM	-	6.6 NM AT 5500 RPM	33NM AT 6500 RPM	55 NM AT 5500 RPM
FUEL SYSTEM	CARBURETTOR	CARBURETTOR	ELECTRONIC FUEL INJECTION (EFI)	ELECTRONIC FUEL INJECTION (EFI)	CARBURETTOR	CARBURETTOR	ELECTRONIC FUEL INJECTION (EFI)	ELECTRONIC FUEL INJECTION (EFI)
TRANSMISSION	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK & HANDLEBAR PARK BRAKE	CVT, H-L-N-R-PARK & HANDLEBAR PARK BRAKE	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK	CVT, H-L-N-R-PARK & PARK BRAKE	CVT, H-L-N-R-PARK & PARK BRAKE
DRIVE	CHAIN	SHAFT	SHAFT	SHAFT	CHAIN	CHAIN	SHAFT	SHAFT
4WD	2WD	2WD/4WD	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD	2WD	2WD/4WD W/LOCKING FRONT DIFFERENTIAL	2WD/4WD W/LOCKING FRONT DIFFERENTIAL
REAR DIFFERENTIAL	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED	FIXED
POWER STEERING	-	-	YES, EPS	YES, EPS	-	-	-	YES, EPS
SUSPENSION & BRAKES								8
FRONT: SUSPENSION	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	SINGLE A-ARM W/TWIN SHOCK ABSORBERS	SINGLE A-ARM W/TWIN SHOCK ABSORBERS	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT
REAR SUSPENSION	UNIT-SWING WITH SINGLE SHOCK ABSORBER	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT	UNIT-SWING W/SINGLE SHOCK ABSORBER	UNIT-SWING W/SINGLE SHOCK ABSORBER	DOUBLE A-ARM, INDEPENDENT	DOUBLE A-ARM, INDEPENDENT
SHOCK ABSORBERS	OIL DAMPENED PRELOAD ADJUSTABLE	OIL DAMPENED PRELOAD ADJUSTABLE	5 LEVEL PRELOAD ADJUSTABLE OIL DAMPENED	5 LEVEL PRELOAD ADJUSTABLE OIL DAMPENED	OIL DAMPENED PRELOAD ADJUSTABLE	OIL DAMPENED PRELOAD ADJUSTABLE	OIL DAMPENED PRELOAD ADJUSTABLE	KAIFA GAS-RESERVOIR SHOCK ABSORBERS
FRONT BRAKE	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	MECHANICAL DRUM	MECHANICAL DRUM	DUAL HYDRAULIC DISC	DUAL HYDRAULIC DISC
REAR BRAKE	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	HYDRAULIC DISC	SINGLE HYDRAULIC DISC 12-INCH STEEL	SINGLE HYDRAULIC DISC 12-INCH STEEL
WHEELS	10-INCH STEEL	12-INCH STEEL	12-INCH STEEL	14-INCH ALLOY	7-INCH STEEL	8-INCH STEEL	25-INCH KENDA	25-INCH KENDA
TYRES	22-INCH	24-INCH KENDA AT TYRES	25-INCH KENDA AT TYRES	26-INCH MAXXIS AT TYRES	16-INCH TYRES	18-INCH TYRES	AT TYRES	AT TYRES
DIMENSIONS								
LXWXH	1810MM X 1030MM X 1100MM	2123MM X 1102MM X 1192MM	2139MM X 1219MM X 1250MM	2139MM X 1245MM X 1250MM	1385MM X 820MM X 900MM	1435MM X 905MM X 925MM	2770MM X 1440MM X 1850MM	2870MM X 1500MM X 1850MM
WHEELBASE	1170MM	1217MM	1298MM	1298MM	900MM	970MM	1829MM	1910MM
GROUND CLEARANCE	250MM	268MM	264MM	272MM	75MM	100MM	300MM	300MM
DRY WEIGHT	175KG	276KG	329KG	363KG	100KG	122KG	490KG	543KG
LOAD	0071/0	20040	4F 4I/O	454KG			550KG	550KG
TOW CAPACITY CARRY CAPCITY	227KG FRONT: 20KG	368KG FRONT: 34KG	454KG FRONT: 52KG	FRONT: 52KG	-		CARGO BED: 190KG	CARGO BED: 200KG
CARRY CAPCIFF	REAR: 30KG	REAR: 68KG	REAR: 95KG	REAR: 95KG				1
PERSON	12 5 11 TDE 0	15 LITRES	1] 25 LITDES	1 GLITBES]	2211TDES	2
FUEL CAPACITY CARGO BED SIZE	12.5 LITRES -	15 LITRES	20 LITRES	25 LITRES	6 LITRES	6 LITRES	32 LITRES 1170MM X 730MM	32 LITRES 1210MM X 820MM
W X D X H							X 302MM	X 310MM
OTHER								
COLOUR	RED	RED	PETROLEUM BLUE	PETROLEUM BLUE	RED	RED OR BLUE	RED	RED
TOW PACK, HORN, LIGHTS AND MIRRORS	YES	YES	YES	YES	-	-	YES	YES
WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY	2 YEAR WARRANTY	2 YEAR WARRANTY	3 YEAR WARRANTY	3 YEAR WARRANTY



3YEAR WARRANTY

QUAD BIKE COMPLIANT SAFETY STANDARD







KYMCO is distributed in Australia by Mojo Motorcycles. While Mojo Motorcycles have tried to make this catalogue as comprehensive and factual as possible, there may be instances where, since the time of printing, information has been updated on products. Please be advised that the equipment shown or described in this catalogue may have been changed and/or is available at extra cost. Further, Mojo Motorcycles, reserves the right to make changes at any time without notice, in prices, colours, materials, equipment and models. All price offers are quoted based on recommended retail price inclusive of GST unless otherwise stated. KYMCO Dealers have access to current vehicle information and should be consulted with before making decisions on your new KYMCO vehicle. Warranties offered for KYMCO products are subject to the conditions set out in all vehicle handbooks and supplement handbooks. Details are also available from KYMCO upon request. Always wear an approved helmet, eye protection, long sleeved shirt, long trousers, gloves and boots while riding.

